

# Carlingford

## Second Early

(S62/47/1 x Dr McIntosh)



### Consumer quality

Carlingford produces a moderately firm tuber when cooked with a distinctive flavour and free from after cooking blackening. Carlingford is ideal for the canning, punnet, salad and new potato market.



### Agronomic features

Carlingford consistently produces higher yields of small even sized tubers compared to Maris Peer. Carlingford has the further advantage of far superior resistance to common scab, PVY and skin spot. Carlingford has good ability to initiate tubers even at low light levels. Carlingford grows well under polythene with little or no reduction in tuber numbers.

### Tuber characteristics

<b>Market Sector</b>	<b>S</b>	Shape of tuber	R
Maturity	2	Depth of eyes	3
Colour of skin	W	Smoothness of skin	S
Colour of flesh	W		

### Resistance to damage, pests and diseases

Foliage blight	4	Virus Y	8
Tuber blight	2	Skin Spot	-
Blackleg	4	Dry Rot ( <i>F. coeruleum</i> )	-
Common scab	8	Dry Rot ( <i>F. sulphureum</i> )	-
Powdery scab	5	Silver Scurf	-
G.Pallida Pa 2/3,1	2	Bruising	5
G.Rostochiensis Ro1	2	Splitting	5
Leafroll	5		